

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of June 30, 2004  
Long Branch Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	----	----	----	----	----	----
AIDS-Any OI	#	#	#	#	20	10
AIDS-CD4 Only	#	#	#	#	83	42
HIV Only	96	48	0	0	96	48
-----	----	----	----	----	----	----
Total	198	100	#	#	199	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	----	----	-----	----	----	----	----	----	----
<5	0	0	White, Not Hispanic	44	22	0	0	44	22
5-12	#	#	Black, Not Hispanic	#	#	#	#	91	46
13-19	#	#	Hispanic	62	31	0	0	62	31
20-29	13	7	Other/Unknown	#	#	#	#	#	#
30-39	58	29	-----	----	----	----	----	----	----
40-49	78	39	Total	198	100	#	#	199	100
50+	48	24							
Unk.	0	0							
-----	----	----							
Total	199	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	----	----	----	----	----	----
Men sex with men (MSM)	35	34	0	0	35	18
Injection drug user (IDU)	33	32	30	32	63	32
MSM/IDU	5	5	0	0	5	3
Heterosexual contact	18	17	46	49	64	32
Risk not reported/other***	12	12	18	19	30	15
-----	----	----	----	----	----	----
Total	103	100	94	100	197	100

  

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	----	----	----	----	----	----
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	----	----	----	----	----	----
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of June 2004.

\*\* # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Long Branch Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	( #)	#	( #)	#	( #)	60	( 23)
Other OI w/o PCP	#	( #)	#	( #)	#	( #)	#	( #)
KS Alone	#	( #)	#	( #)	#	( #)	#	( #)
No Disease Listed	138	( 54)	55	( 40)	0	( .)	138	( 53)
Total	254	(100)	153	( 60)	5	(100)	259	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	68	27	0	0	68	26
5-12	#	#	Black, Not Hispanic	#	#	#	#	126	49
13-19	0	0	Hispanic	#	#	#	#	65	25
20-29	37	14	Other/Unknown	0	0	0	0	0	0
30-39	114	44	-----	-----	-----	-----	-----	-----	-----
40-49	62	24	Total	254	100	5	100	259	100
Over 49	41	16							
Unknown	0	0							
Total	259	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	41	25	0	0	41	16
Injection drug user (IDU)	84	50	32	37	116	46
MSM/IDU	6	4	0	0	6	2
Heterosexual contact	16	10	42	48	58	23
Risk not reported/other***	20	12	13	15	33	13
Total	167	100	87	100	254	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	5	100

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Long Branch Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	5	5	100%
1987	7	7	100%
1988	7	7	100%
1989	18	18	100%
1990	10	9	90%
1991	7	7	100%
1992	28	24	86%
1993	35	27	77%
1994	18	14	78%
1995	23	11	48%
1996	12	#	#
1997	12	#	#
1998	20	6	30%
1999	9	#	#
2000	14	6	43%
2001	#	#	#
2002	13	#	#
2003	9	#	#
2004	6	0	0%
-----	-----	-----	-----
Total	259	156	60%

New Jersey Division of HIV/AIDS Services  
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004  
Long Branch Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	0	0	White, Not Hispanic	25	23	0	.	25	24
5-12	#	#	Black, Not Hispanic	50	47	0	.	50	47
13-19	#	#	Hispanic	30	28	0	.	30	28
20-29	39	36	Other/Unknown	#	#	0	.	#	#
30-39	36	34	-----	-----	---	-----	---	-----	---
40-49	24	22	Total	107	100	0	.	107	100
Over 49	6	6							
Unknown	0	0							
-----	-----	---							
Total	107	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	14	27	0	0	14	13
Injection drug user (IDU)	17	33	24	44	41	38
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	9	17	7	13	16	15
-----	-----	---	-----	---	-----	---
Total	52	100	55	100	107	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

\* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

# indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Long Branch Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	116	32	5	100	121	33
AIDS-CD4 Only	138	38	0	0	138	38
HIV Only	107	30	0	0	107	29
-----	-----	---	-----	---	-----	---
Total	361	100	5	100	366	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	5	1	White, Not Hispanic	93	26	0	0	93	25
5-12	0	0	Black, Not Hispanic	#	#	#	#	176	48
13-19	#	#	Hispanic	#	#	#	#	95	26
20-29	85	23	Other/Unknown	#	#	0	0	#	#
30-39	157	43	-----	-----	---	-----	---	-----	---
40-49	73	20	Total	361	100	5	100	366	100
Over 49	42	11							
Unknown	#	#							
-----	-----	---							
Total	366	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	55	25	0	0	55	15
Injection drug user (IDU)	101	46	56	39	157	43
MSM/IDU	10	5	0	0	10	3
Heterosexual contact	24	11	66	46	90	25
Risk not reported/other***	29	13	20	14	49	14
-----	-----	---	-----	---	-----	---
Total	219	100	142	100	361	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Long Branch Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	#	#	#
1986	11	9	82%
1987	13	11	85%
1988	16	14	88%
1989	29	27	93%
1990	19	12	63%
1991	23	10	43%
1992	35	20	57%
1993	39	17	44%
1994	25	11	44%
1995	27	10	37%
1996	15	#	#
1997	26	5	19%
1998	21	5	24%
1999	16	5	31%
2000	11	#	#
2001	7	0	0%
2002	14	#	#
2003	12	#	#
2004	#	#	#
-----	-----	-----	-----
Total	366	167	46%